

**Tài Yīn Bìng  
Line 277**

Tài Yīn Cold  
Pattern

Primary signs

Spontaneous  
diarrhea

Pí Yáng Xū → clear Yáng  
cannot ascend

Absence of thirst

Hán and Shī are not  
transformed, spread  
through interior and follow  
diarrhea

Fluids are not depleted by  
Heat

Pathomechanism

Vacuity cold in  
Zhōng Jiāo

Pí Wèi Yáng Xū, Hán Shī  
blocking Zhōng Jiāo

Treatment  
Principle

Warming  
treatment

Warm Middle, strengthen  
Pí, dispel Hán, transform  
Shī

Treatment

Sì Nì type of  
formula

*severe cases*

transferred to Shào Yīn

*mild cases*

**Lǐ Zhōng Tāng/Wán**  
Warm center, dissipate  
cold, strengthens Pí Wèi

**Sì Nì Tāng**  
Return Yáng, warms  
Shèn and Pí

|               |   |
|---------------|---|
| gān jiāng 3 L | warms zhōng jiāo, dispels Hán           |
| rén shēn 3 L  | supplement Pí, tonify Qì                |
| gān cǎo 3 L   | tonifies zhōng jiāo, harmonizes formula |
| bái zhú 3 L   | strengthens Pí, dries Shī               |

|                 |   |
|-----------------|---|
| fù zǐ 1 pcs     | warms Shèn, returns Yáng                          |
| gān jiāng 1.5 L | warms zhōng jiāo, dispels Hán                     |
| gān cǎo 2 L     | tonifies/regulates zhōng jiāo, harmonizes formula |

normal temperature of  
four limbs

deficiency-cold of whole  
body and limbs

Applications: chronic gastritis,  
chronic colitis, excessive  
salivation, myocarditis.


Applications: acute myocardial  
infarction, cor pulmonale, oxic  
shock, acute gastroenteritis.




**Tài Yīn Bīng  
Line 279**

**Tài Yīn Abdominal Pain  
Pattern**

**Transmuted Patterns**



## Differentiation of Diarrhea



## Differentiation of Abdominal Pain

